

first manufacturer in the American handgun market to win prestigious ISO 9001 certification. The International Organization for Standardization's ISO 9001 certification verifies that Smith & Wesson sets and meets stringent standards for design, production, delivery and service.







TABLE OF CONTENTS

Introduction	
introduction	3
Pistols	4-12
Revolvers	.13-24
Handcuffs	25
Pistol/Revolver Cutaway Diagram	.26-27
Performance Center	28
Smith & Wesson Academy	29
Smith & Wesson Companies	.30-31
Product Index	31

I S S

INTRODUCTION

In 1852 Daniel Baird Wesson and Horace Smith formed a partnership which grew into the most respected supplier of handguns in the world. Over the years, the needs of law enforcement agencies, military organizations, and sportsmen have changed and Smith & Wesson continues to adapt to meet these new challenges. Today's Smith & Wesson is moving in new directions, with some exciting new products and services.

The success of Smith & Wesson is due to the support of our customers. You will not find another company who appreciates and supports customers more than we do! Your comments and opinions matter to us, and we look forward to hearing from you.

You can visit Smith & Wesson on the World Wide Web at www.smith-wesson.com. Our complete website contains information on the full range of Smith & Wesson products. We also welcome visitors to Smith & Wesson in Springfield, Massachusetts, USA. We are located 12 miles north of Bradley International Airport (Hartford, Connecticut). Individual and group tours of our manufacturing facilities and National Firearms Training Center may be arranged by appointment.




SJOLSIC



Combining 260 Years of American and European Firearms Knowledge.

Manufactured at Smith & Wesson in cooperation with Carl Walther GmbH Sportwaffen of Arnsberg, Germany, the 9mm and .40 S&W versions of the SW99 pistol are designed to meet the needs of public safety, security and military agencies worldwide.



- A multi-action trigger that can be fired in both double action and two single action modes
- Three modular grip inserts for shooters with small or large hands
- Three interchangeable front sight inserts along with an adjustable rear sight
- Adjustable night sights available
- Stainless steel barrel
- Slide treated with the Melonite® process.
- Black polymer frame with equipment rail
- Shielded decocking button mounted flush with the top of the slide decocks from both single and double action
- · Ambidextrous magazine release
- · Safety features such as:
 - Loaded chamber indicator
 - Striker safety
 - Disconnect safety
 - Trigger safety







MODEL	ORDER #	CALIBER	BARREL	WEIGHT	CAPACITY	SIGHTS	TRIGGER	HAMMER	OVERALL LENGTH
SW99	120201	9mm	4" (102mm)	25.4 oz. (720 g)	16 + 1	Interchangeable/ adjustable	SA/DA + S/A multi-action	Striker Firing System	7-1/8" (181mm)
SW99	120200	.40 S&W	4-1/8" (105mm)	25.2 oz. (714 g)	12 + 1	Interchangeable/ adjustable	SA/DA + S/A multi-action	Striker Firing System	7-1/4" (184mm)
SW99	120203	9mm	4" (102mm)	25.4 oz. (720 g)	16 + 1	Tritium® night sights	SA/DA + S/A multi-action	Striker Firing System	7-1/8" (181mm)
SW99	120202	.40 S&W	4-1/8" (105mm)	25.2 oz. (714 g)	12 + 1	Tritium® night sights	SA/DA + S/A multi-action	Striker Firing System	7-1/4" (184mm)



Pistols that set the standard for absolute dependability.



	MODEL	ORDER #	CALIBER	BARREL	WEIGHT	CAPACITY	SIGHTS	TRIGGER	EXTERNAL SAFETY	HAMMER	OVERALL LENGTH
COMPACT	908	103882	9mm	3-1/2" (89mm)	24 oz. (680 g)	8+1	3-dot fixed standard	Trad. DA	Single Side	.260" Bobbed	6-13/16" (173mm)
	457	104804	.45 ACP	3-3/4" (95mm)	29 oz. (822 g)	7+1	3-dot fixed standard	Trad. DA	Single Side	.260" Bobbed	7-1/4" (184mm)
FULL SIZE	910	104780	9mm	4" (102mm)	28 oz. (794 g)	15+1	3-dot fixed standard	Trad. DA	Single Side	.260" Spurred	7-3/8" (187mm)
	410	104740	.40 S&W	4" (102mm)	28.5 oz. (808 g)	11+1	3-dot fixed standard	Trad. DA	Single Side	.260" Spurred	7-1/2" (191mm)

S TARIE

Designed to meet the needs of law enforcement special units.



40 TACTICAL COMMENT Full length rails, enhanced barrel lock time, stress analyzed alloy frames, optional Tritium night sights. All features normally associated with custom-built competition guns that have all been included in the Tactical Smith & Wesson pistol line. Designed with the input of law enforcement professionals for use in law enforcement applications, the Tactical Compact features a shorter hammer tang for greater concealment and snag resistance. An equipment rail is standard as well as an additional one round capacity. Available in your choice of 9mm parabellum, .40 S&W, or .45 ACP cartridges with traditional double action or double action only triggers.



Model 4013TSW

	MODEL	ORDER #	CALIBER	BARREL	WEIGHT	CAPACITY	SIGHTS	TRIGGER	EXTERNAL SAFETY	HAMMER	OVERALL LENGTH
COMPACT	3913TSW 3953TSW		9mm	3-1/2" (89mm)	24.8 oz. (703 g)	8+1	White dot with Novak Lo Mount	Trad. DA DAO	Ambidextrous	Bobbed Semi- Bobbed	6-3/4" (171mm)
	4013TSW 4053TSW		.40 S&W	3-1/2" (89mm)	26.8 oz. (760 g)	9+1	White dot with Novak Lo Mount	Trad. DA DAO	Ambidextrous	Bobbed Semi- Bobbed	6-3/4" (171mm)
	4513TSW 4553TSW		.45 ACP	3-3/4" (95mm)	28.6 oz. (811 g)	7+1	White dot with Novak Lo Mount	Trad. DA DAO	Ambidextrous	Bobbed Semi- Bobbed	7-3/4" (197mm)




Model	5906TSW	I
-------	---------	---

MODEL	ORDER #	CALIBER	BARREL	WEIGHT	CAPACITY	TRIGGER	EXTERNAL SAFETY	HAMMER	OVERALL LENGTH
5906TSW 5906TSW Adj. Sights	108266 108265	9mm	4" (102mm)	38.3 oz. (1086 g)	15+1	Trad. DA	Ambidextrous	Spurred	7-1/2" (191mm)
5906TSW Night sights	108566	9mm	4" (102mm)	38.3 oz. (1086 g)	15+1	Trad. DA	Ambidextrous	Spurred	7-1/2" (191mm)
5946TSW	108267	9mm	4" (102mm)	38.3 oz. (1086 g)	15+1	DAO		Semi-bobbed	7-1/2" (191mm)
5903TSW	108258	9mm	4" (102mm)	28.9 oz. (819 g)	15 +1	Trad. DA	Ambidextrous	Spurred	7-1/2" (191mm)
5943TSW	108564	9mm	4" (102mm)	28.9 oz. (819 g)	15 +1	DAO		Semi-Bobbed	7-1/2" (191mm)
4003TSW	108509	.40 S&W	4" (102mm)	28.5 oz. (808 g)	11+1	Trad. DA	Ambidextrous	Spurred	7-1/2" (191mm)
4043TSW	108547	.40 S&W	4" (102mm)	28.5 oz. (808 g)	11+1	DAO		Semi-Bobbed	7-1/2" (191mm)
4006TSW 4006TSW Adj. sights	104411 104410	.40 S&W	4" (102mm)	37.8 oz. (1072 g)	11+1	Trad. DA	Ambidextrous	Spurred	7-1/2" (191mm)
4006TSW Night Sights	104412	.40 S&W	4" (102mm)	37.8 oz. (1072 g)	11+1	Trad. DA	Ambidextrous	Spurred	7-1/2" (191mm)
4046TSW 4046TSW Night Sights	102957 102958	.40 S&W	4" (102mm)	37.8 oz. (1072 g)	11+1	DAO		Semi-Bobbed	7-1/2" (191mm)
4563TSW 4566TSW	108275 108263	.45 ACP	4-1/4" (108mm)	30.6 oz. (868 g) 39.1 oz.(1108 g)	8+1	Trad. DA	Ambidextrous	Spurred	7-7/8" (200mm)
4583TSW 4586TSW	108277 108264	.45 ACP	4-1/4" (108mm)	30.6 oz. (868 g) 39.1 oz.(1108 g)	8+1	DAO		Semi-Bobbed	7-7/8" (200mm)

LPA™ adjustable rear sight.

Reliable, Accurate, and designed to survive under the harshest conditions



Model 5906M



MODEL	ORDER #	CALIBER	BARREL	WEIGHT	CAPACITY	SIGHTS	TRIGGER	HAMMER	OVERALL LENGTH
5906M	108097	9mm	4" (102mm)	37.5 oz. (1063 g)	15+1	3-dot Novak	Double/Single Action	.260" spurred	7-1/2" (191mm)



Completely Redesigned!



aiming devices

- Checkered grip for enhanced shooter control
- Smooth, controllable trigger pull
- Redesigned ejection port for enhanced performance
- Redesigned extractor and ejector for use with more types of ammunition
- Profiled slide for faster draw from holster
- New magazine spring for easier loading
- Slide stop guard to prevent activation during shooting
- Black Melonite® slide and night sights on 9E and 40E
- Stainless steel slide and 3-dot sights on 9VE and 40VE

MODEL	ORDER #	CALIBER	BARREL	WEIGHT	CAPACITY	SIGHTS	TRIGGER	HAMMER	OVERALL LENGTH
SW380	120100	.380 ACP	3" (76mm)	14 oz. (397 g)	6 + 1	Post with Fixed Channel	Double Action Only	Striker Firing System	5.8" (147mm)
SW9VE SW40VE	120025 120023	9mm .40 S&W	4" (102mm)	24.7 oz. (700 g) 24.4 oz. (692 g)		3-dot Fixed Standard	Double Action Only	Striker Firing System	7-1/4" (184mm)
SW9E SW40E	120018 120020	9mm .40 S&W	4" (102mm)	24.7 oz. (700 g) 24.4 oz. (692 g)	16 + 1 14 + 1	3-dot Fixed Night Sight	Double Action Only	Striker Firing System	7-1/4" (184mm)



Designed to be compact and lightweight, yet powerful and accurate enough for serious law enforcement applications. The S&W Chiefs Special™ pistols are manufactured in your choice of stainless steel or blued carbon steel, chambered for 9mm parabellum, .40 S&W, or .45ACP cartridges, with traditional double action or double action only triggers accompanied by a ambidextrous external safety.

MODEL	FINISH	ORDER #	CALIBER	BARREL	WEIGHT	CAPACITY	SIGHTS	TRIGGER	HAMMER	OVERALL LENGTH
CS9	Stainless	103887	9mm	3" (76mm)	20.8 oz. (590 g)	7+1	3-dot Fixed Standard	Traditional Double Action	.260" Bobbed	6-1/4" (159mm)
CS9D	Stainless	103888	9mm	3" (76mm)	20.8 oz. (590 g)	7+1	3-dot Fixed Standard	Double Action Only	.260" Bobbed	6-1/4" (159mm)
CS40	Stainless	108544	.40 S&W	3-1/4" (83mm)	24.2 oz. (686 g)	7+1	3-dot Fixed Standard	Traditional Double Action	.260" Bobbed	6-1/2" (165mm)
CS40D	Stainless	108545	.40 S&W	3-1/4" (83mm)	24.2 oz. (686 g)	7+1	3-dot Fixed Standard	Double Action Only	.260" Bobbed	6-1/2" (165mm)
CS45	Stainless	103014	.45 ACP	3-1/4" (83mm)	23.9 oz. (678 g)	6+1	3-dot Fixed Standard	Traditional Double Action	.260" Bobbed	6-1/2" (165mm)
CS45D	Stainless	103018	.45 ACP	3-1/4" (83mm)	23.9 oz. (678 g)	6+1	3-dot Fixed Standard	Double Action Only	.260" Bobbed	6-1/2" (165mm)





Smith & Wesson's first multi-caliber sport target pistol

The Super9™ pistol fires 9mm parabellum (9x19mm), 9x21mm, and the powerful .356TSW cartridge with just a change of the barrel! A factory tuned single action "cocked and locked" trigger, adjustable target sights, three interchangeable 5" barrels, curved Xenoy grip, serrated front strap, and solid stainless steel construction makes the S&W Super9™ the clear choice for the competitive or recreational shooter at a very affordable price.

Model Super9

MODEL	ORDER #	CALIBER	BARREL	WEIGHT	CAPACITY	SIGHTS	TRIGGER	OVERALL LENGTH
Super9™	108099	9x19mm 9x21mm .356TSW	5" (127mm)	39 oz. (1106 g)	15+1	Adjustable Target	Single Action Target	8-1/2" (216mm)